



















Required BABY SHOTS by 5 years of age

DTap	 2 months	 4 months	 6 months	 *15 months	*4 th dose may be given as early as 12 months, but becomes required at 15 months of age.
Polio	 2 months	 4 months	 *12 months		*3 rd dose may be given as early as 6 months, but becomes required at 12 months of age.
MMR	 12 months				
Hib	 2 months	 4 months	 *6 months	 *15 months	*Schedules may be for 3 and/or 4 doses depending on brand of Hib vaccine. *4 th dose may be given as early as 12 months: becomes required at 15 months. *Complete with only one dose if given on/after 15 months.
Hep A	 *12 months	 18 months			*Hep A vaccine is required in child care settings in Maricopa County only.
Hep B	 *2 months	 4 months	 *12 months		*May be given at birth, becomes required at 2 months. *3 rd dose may be given as early as 24 weeks, becomes required at 12 months. *4 th dose is needed if 3 rd dose is given before 24 weeks.
Varicella	 12 months				If child has had chicken pox, not required to get shot.

Vaccine

Prevents these diseases:

DTap

Diphtheria – Causes a severe throat infection that makes it very hard to swallow and breathe.

Tetanus (lockjaw) – Causes severe muscle spasms, breathing and heart problems, and may lead to death.

Pertussis (whooping cough) – Causes long spells of coughing. Very difficult for a child to eat, drink and breathe. Can lead to pneumonia, seizures and death.

Polio MMR

Measles – Causes a high fever, rash, sore eyes and cold-like symptoms. Can lead to hearing loss, swelling of the brain and spinal cord. Brain damage.

Mumps – Causes headache, fever, and painful swelling of the cheeks and jaw. Can lead to hearing loss, swelling of the brain and spinal cord. Brain damage.

Rubella (German measles) - Highly contagious. Causes fever and rash on the face and neck. If pregnant, may compromise pregnancy or lead to birth defects.

Haemophilus influenzae type B – Causes joint, eye, ear, lung infections, other bacterial infections and meningitis. Can lead to brain damage and death.

Hepatitis A – Severe liver disease that can cause flu-like symptoms, jaundice (yellow eyes or skin), severe stomach pains, diarrhea, and in rare cases – death.

Hib Hep A Hep B Varicella

Hepatitis B – Serious liver infection that can lead to liver damage, liver cancer and in some cases – death.

Varicella (chicken pox) – Highly contagious disease that causes fever, tiredness, and weakness followed by an itchy, blister-like rash over the body.